



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB09196 - Goat Anti-AKAP9 / YOTIAO Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: AKAP9, A kinase (PRKA) anchor protein (yotiao) 9, AKAP350, AKAP450, CG-NAP, HYPERION, KIAA0803, MU-RMS-40.16A, PRKA9, YOTIAO, A-kinase anchor protein 9, A-kinase anchor protein, 350kDa, A-kinase anchoring protein 450, AKAP120-like protein, AKAP9-BRAF fusion protein, centrosome- and golgi-localized protein, kinase N-associated protein, protein kinase A anchoring protein 9

Official Symbol: AKAP9

Accession Number(s): NP_005742.4; NP_671714.1

Human GeneID(s): [10142](#)

Important Comments: This antibody is expected to recognize isoforms 2 and 3 (NP_005742.4; NP_671714.1)

Immunogen

Peptide with sequence QRKAQSDGQSPSKK-C, from the N Terminus of the protein sequence according to NP_005742.4; NP_671714.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Not yet tested - our routinely used western blotting protocol does not allow detection of proteins as large as the calculated size of 453kDa according to NP_005742.4. Therefore we cannot recommend an optimal concentration and the antibody is an aspiring product. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

Species Reactivity

Tested:

Expected from sequence similarity: Human, Dog