

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park

Upper Heyford
Oxfordshire
OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106 Ramona, CA 92065

USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08509 - Goat Anti-Ankyrin 1 / ANK1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ANK1, ankyrin 1, erythrocytic, ANK, SPH1, SPH2, ankyrin 1, ankyrin-1,

erythrocytic, ankyrin-R **Official Symbol:** ANK1

Accession Number(s): NP_000028.3; NP_065208.2; NP_065209.2; NP_065210.2;

NP_065211.2; NP_065213.2 **Human GenelD(s):** 286

Non-Human GenelD(s): 11733 (mouse), 306570 (rat)

Important Comments: This antibody is expected to recognise isoform 3 (NP_000028.3)

and isoform 5 (NP_065211.2).

Immunogen

Peptide with sequence C-QIVKRASLKRGKQ, from the C Terminus of the protein sequence according to NP_000028.3; NP_065208.2; NP_065209.2; NP_065210.2; NP_065211.2; NP_065213.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Preliminary experiments gave approx. 19-23 kDa bands in Human Skeletal Muscle lysates after 0.01μg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for these bands we observe given the observed 28+30 kDa bands in the literature for this tissue (PMID: 9430667) and given the calculated size of 17.6 kDa according to NP_065211.2. The 19-22 kDa bands were successfully blocked by incubation with the immunizing peptide.

Species Reactivity

Tested:

Expected from sequence similarity: Human, Mouse, Rat, Cow