

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre

77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08181 - Goat Anti-ARNO / cytohesin 2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ARNO, cytohesin 2, pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2), CTS18, CTS18.1, PSCD2L, SEC7L, Sec7p-L, Sec7p-like, ARF exchange factor, ARF nucleotide-binding site opener, pleckstrin homology, Sec7 and coiled-coil

domains 2-like
Official Symbol: CYTH2

Accession Number(s): NP_004219.2; NP_059431.1

Human GeneID(s): 9266

Non-Human GenelD(s): 19158 (mouse), 116692 (rat)

Important Comments: This antibody is expected to recognise both reported isoforms

(NP_004219.2; NP_059431.1).

Immunogen

Peptide with sequence EDGVYEPPDLTP-C, from the N Terminus of the protein sequence according to NP_004219.2; NP_059431.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 48kDa band observed in Human Brain (Cerebellum) lysates

(calculated MW of 46.5kDa according to NP_004219.2 and NP_059431.1).

Recommended concentration: 0.5-1.5µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog



EB08181 (0.5μg/ml) staining of Human Brain (Cerebellum) lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.