

## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB08786 - Goat Anti-AVPR1B (mouse) Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** AA<sub>vpr1b</sub>, arginine vasopressin receptor 1B, AVPR3, antidiuretic hormone receptor 1B, arginine vasopressin receptor 3, pituitary vasopressin receptor 3, vasopressin V1B receptor, AVPR3, V3/V1b, VIBR, VPR, V3/V1b pituitary vasopressin receptor, VPR3

**Official Symbol:** AVPR1B

**Accession Number(s):** NP\_036054.1

**Non-Human GeneID(s):** 26361 (mouse), 29462 (rat)

### Immunogen

Peptide with sequence C-KPAGSLKDLEQVD, from the internal region (near C Terminus) of the protein sequence according to NP\_036054.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:32000.

**Western blot:** Approx. 170kDa band observed in Rat Brain lysates (calculated MW of 46.5kDa according to NP\_036054.1). The observed molecular weight corresponds to findings with EB08785, a product of different design reacting to the C-terminus of the Human protein. Recommended concentration: 0.05-0.2µg/ml.

### Species Reactivity

**Tested:** Rat

**Expected from sequence similarity:** Mouse, Rat



EB08785 (0.5 $\mu$ g/ml) staining of Human Amygdala lysate (35 $\mu$ g protein in RIPA buffer) in lane A and EB08786 (0.05 $\mu$ g/ml) staining of Rat Brain lysate (35 $\mu$ g protein in RIPA buffer) in lane B . Primary incubation was 1 hour. Detected by chemiluminescence.