

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB12387 - Goat Anti-calreticulin Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** CALR, calreticulin, CRT, RO, SSA, cC1qR, CRP55, ERp60, HACBP, Sicca syndrome antigen A (autoantigen Ro, calreticulin), calregulin, endoplasmic

reticulum resident protein 60, grp60

Official Symbol: CALR

Accession Number(s): NP\_004334.1

Human GeneID(s): 811

Non-Human GenelD(s): 12317 (mouse), 64202 (rat)

### **Immunogen**

Peptide with sequence C-HPEIDNPEYSPDPS, from the internal region of the protein sequence according to NP\_004334.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 60kDa band observed in Human and Rat Lung lysates (calculated MW of 48.1kDa according to NP\_004334.1). These bands correspond to earlier findings in literature with different antibodies (Conway et al, J Biol Chem. 1995 Jul 14;270(28):17011-6. PMID: 7622522). Recommended concentration: 0.01-0.03μg/ml.

Primary incubation was 1 hour. This antibody has been successfully used in WB on HEK293 cells, PMID: 37371965.

**Additional validation:** This antibody has been successfully used in the following paper: Sikorski et al. (2018) PMID: 30377371.

# **Species Reactivity**

Tested: Human, Rat

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

#### Specific References

### This antibody has been successfully used in WB on Human:

Cláudio F Costa, Celien Lismont, Serhii Chornyi, Hongli Li, Mohamed A F Hussein, Hans R Waterham, Marc Fransen

Functional Analysis of GSTK1 in Peroxisomal Redox Homeostasis in HEK-293 Cells.

Antioxidants (Basel). 2023 Jun 7;12(6):1236.

PMID: 37371965


### This antibody has been successfully used in the following paper:

Krzysztof Sikorski, Adi Mehta, Marit Inngjerdingen, Flourina Thakor, Simon Kling, Tomas Kalina, Tuula A. Nyman, Maria Ekman Stensland, Wei Zhou, Gustavo A. De Souza, Lars Holden, Jan Stuchly, Markus Templin and Fridtjof Lund-Johansen

A high-throughput pipeline for validation of antibodies

Nat Methods. 2018 Nov;15(11):909-912

PMID: 30377371



EB12387 (0.01μg/ml) staining of Human (A) and Rat (B) Lung lysates (35μg protein in RIPA buffer). Detected by chemiluminescence.