

UK Office

Everest Biotech Ltd Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries: info@everestbiotech.com Sales: sales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106 Ramona, CA 92065 USA

Inquiries: info@everestbiotech.com Sales: usasales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: 888-320-4628 (toll-free) Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB10965 - Goat Anti-CD127 / IL7R (mouse) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: IL7R, interleukin 7 receptor, CD127, IL-7R-alpha, IL7RA, ILRA, CD127 antigen, IL-7 receptor subunit alpha, IL-7R subunit alpha, interleukin 7 receptor alpha chain, interleukin 7 receptor isoform H5-6, interleukin-7 receptor subunit alpha, MGC10755 Official Symbol: IL7R Accession Number(s): NP_032398.3 Non-Human GeneID(s): 16197 (mouse), 294797 (rat)

Immunogen

Peptide with sequence DDHSFWCHSQLE, from the internal region (near N Terminus) of the protein sequence according to NP_032398.3.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Preliminary testing showed a band at approx 50kDa in NIH3T3 cell lysate, and 55kDa in Mouse Duodenum lysate after 1-2µg/ml antibody staining (calculated MW of 51.6kDa according to Mouse NP_032398.3). Primary incubation 1 hour at room temperature.

Species Reactivity

Tested: Expected from sequence similarity: Mouse, Rat