

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB12115 - Goat Anti-CIZ1 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** CIZ1, CDKN1A interacting zinc finger protein 1, LSFR1, NP94, ZNF356, CDKN1A-interacting zinc finger protein 1, cip1-interacting zinc finger protein,

nuclear protein NP94, zinc finger protein 356

Official Symbol: CIZ1

Accession Number(s): NP\_036259.2; NP\_001124487.1; NP\_001124489.1;

NP\_001124490.1; NP\_001244904.1; NP\_001244905.1

Human GeneID(s): 25792

Important Comments: This antibody is expected to recognize all reported isoforms

 $(NP\_036259.2; NP\_001124487.1; NP\_001124489.1; NP\_001124490.1;\\$ 

NP\_001244904.1; NP\_001244905.1). Reported variants represent identical protein:

NP\_036259.2, NP\_001124488.1

### **Immunogen**

Peptide with sequence C-QPNTQDKTPSKVTAR, from the C Terminus of the protein sequence according to NP\_036259.2; NP\_001124487.1; NP\_001124489.1; NP\_0011244904.1; NP\_001244905.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

**Western blot:** Approx 90kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 91.2kDa according to NP\_001124490.1). Recommended

concentration: 0.3-1µg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB12115 (0.3 $\mu$ g/ml) staining of HeLa nuclear lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.