

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

Enquiries:

info@everestbiotech.com

Sales:

UK

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB12523 - Goat Anti-CLEC12A / MICL Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** CLEC12A, C-type lectin domain family 12, member A, CLL-1, CLL1, DCAL-2, MICL, C-type lectin domain family 12 member A, C-type lectin protein CLL-1, C-type lectin superfamily, C-type lectin-like molecule-1, dendritic cell-associated lectin 2, myeloid inhib

Official Symbol: CLEC12A

Accession Number(s): NP\_612210.4; NP\_963917.2; NP\_001193939.1

Human GenelD(s): 160364

Important Comments: This antibody is expected to recognize all reported isoforms

(NP\_612210.4; NP\_963917.2; NP\_001193939.1).

## **Immunogen**

Peptide with sequence C-NPVQLGSTYFRE, from the C Terminus of the protein sequence according to NP\_612210.4; NP\_963917.2; NP\_001193939.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:128000.

**Western blot:** Approx 37kDa band observed in lysates of cell line U937 (calculated MW of 30.8kDa according to NP\_612210.4). The observed molecular weight corresponds to the glycosylated form. Recommended concentration: 0.3-1µg/ml.

#### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human



EB12523 (0.3 $\mu$ g/ml) staining of U937 lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.