

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$ 

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05724 - Goat Anti-CLLD8 / SETDB2 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** SETDB2, CLLD8, SET domain, bifurcated 2, CLLL8 protein, C13orf4, CLLL8, DKFZp586I0123, DKFZp761J1217, KMT1F, chronic lymphocytic leukemia deletion region 8, lysine N-methyltransferase 1F, histone-lysine N-methyltransferase SETDB2

Official Symbol: SETDB2

Accession Number(s): NP\_114121.2; NP\_001153780.1

Human GeneID(s): 83852

Important Comments: This antibody is expected to recognize both reported isoforms

(NP\_114121.2; NP\_001153780.1).

## **Immunogen**

Peptide with sequence GEKNGDAKTFWME-C, from the N Terminus of the protein sequence according to NP\_114121.2; NP\_001153780.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:1000.

**Western blot:** Approx 85kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 81.9kDa according to NP\_114121.2). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.

#### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

250kDa 150kDa 100kDa 75kDa

37kDa

25kDa

20kDa

15kDa

EB05724 (0.3μg/ml) staining of Nuclear HeLa lysate (35μg protein in RIPA buffer). Detected by chemiluminescence.