



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB09088 - Goat Anti-FBXO32 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: FBXO32, F-box protein 32, FLJ32424, Fbx32, MAFbx, MGC33610, F-box only protein 32, atrogin 1, muscle atrophy F-box protein

Official Symbol: FBXO32

Accession Number(s): NP_478136.1

Human GeneID(s): [114907](#)

Non-Human GeneID(s): 67731 (mouse), 171043 (rat)

Important Comments: This antibody is expected to recognize reported isoform 1 (NP_478136.1).

Immunogen

Peptide with sequence C-NSKTKTQYFHQEK, from the internal region of the protein sequence according to NP_478136.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx. 40kDa band observed in Mouse Skeletal Muscle lysates (calculated MW of 41.5kDa according to Mouse NP_080622.1). Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room temperature. Preliminary testing was unsuccessful on Rat and Pig Skeletal Muscle, and Pig Heart for this particular batch. This antibody has been successfully use in WB on Mouse: (2021) 10.21203/rs.3.rs-541040/v1.

Species Reactivity

Tested: Mouse

Expected from sequence similarity: Human, Mouse, Rat, Cow, Pig

Specific References

This antibody has been successfully used in Western blot on Mouse:

Changpeng Wu et al.

L-Carnitine Ameliorates the Muscle Wasting of Cancer Cachexia through the AKT/FOXO3a/MaFbx Axis

(2021) 10.21203/rs.3.rs-541040/v1

PMID: 34724970

This antibody (previous batch) has been successfully used in Western blot on Mouse:

Penet MF, Gadiya MM, Krishnamachary B, Nimmagadda S, Pomper MG, Artemov D, Bhujwalla ZM.

Metabolic signatures imaged in cancer-induced cachexia.

Cancer Res. 2011 Nov 15;71(22):6948-56



EB09088 (0.3 μ g/ml) staining of Mouse Skeletal Muscle lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.