

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre

77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB07743 - Goat Anti-Flotillin 2 / FLOT2 (internal) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: FLOT2, flotillin 2, reggie-1, ESA, ESA1, M17S1, Flotillin 2 (epidermal

surface antigen 1)

Official Symbol: FLOT2

Accession Number(s): NP_004466.2

Human GenelD(s): 2319

Non-Human GenelD(s): 14252 (mouse), 83764 (rat)

Immunogen

Peptide with sequence C-QIYQDRDQFAK, from the internal region of the protein sequence according to NP_004466.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Western Blot: Approx 37kDa band observed in Human, Mouse and Rat Brain lysates (calculated MW of 41.7kDa according to NP_004466.1). Recommended concentration: 0.3-1µg/ml.

Species Reactivity

Tested: Human, Mouse, Rat

Expected from sequence similarity: Human, Mouse, Rat, Dog