



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB13025 - Goat Anti-GSTM3 (aa47-60) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: GSTM3, glutathione S-transferase mu 3 (brain), GST5, GSTB, GSTM3-3, GTM3, GST class-mu 3, S-(hydroxyalkyl)glutathione lyase M3, brain GST, brain type mu-glutathione S-transferase, glutathione S-alkyltransferase M3, glutathione S-aralkyltransferase M3

Official Symbol: GSTM3

Accession Number(s): NP_000840.2

Human GeneID(s): [2947](#)

Non-Human GeneID(s): 14866 (mouse), 64352 (rat)

Immunogen

Peptide with sequence C-RSQWLDVKFKLDLD, from the internal region of the protein sequence according to NP_000840.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:1000.

Western blot: Approx 28kDa band observed in Mouse Brain lysates (calculated MW of 25.7kDa according to Mouse NP_034489.1). Recommended concentration: 1-3µg/ml.

Species Reactivity

Tested: Mouse

Expected from sequence similarity: Human, Mouse, Rat



EB13025 (2 μ g/ml) staining of Mouse Brain lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour.
Detected by chemiluminescence.