



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB10955 - Goat Anti-HSPC117 (aa125-138) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: C22orf28, chromosome 22 open reading frame 28, DJ149A16.6, RP1-149A16.6, hypothetical protein LOC51493, novel protein HSPC117

Official Symbol: RTCB

Accession Number(s): NP_055121.1

Human GeneID(s): [51493](#)

Non-Human GeneID(s): 28088 (mouse), 362855 (rat)

Immunogen

Peptide with sequence C-RLLRNLDVQVP, from the internal region of the protein sequence according to NP_055121.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.


Western blot: Approx 55kDa band observed in lysates of cell line Jurkat (calculated MW of 55.2kDa according to NP_055121.1). Recommended concentration: 0.05-0.2µg/ml.

IHC: Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



EB10955 (0.05 μ g/ml) staining of Jurkat lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour.
Detected by chemiluminescence.



EB10955 (5 μ g/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.