



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB09212 - Goat Anti-KCNQ5 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: KCNQ5, potassium voltage-gated channel, KQT-like subfamily, member 5, Kv7.5, OTTHUMP00000016729, OTTHUMP00000064152, OTTHUMP00000064153, potassium channel protein

Official Symbol: KCNQ5

Accession Number(s): NP_062816.2; NP_001153602.1; NP_001153604.1; NP_1153605.1; NP_001153606.1

Human GeneID(s): [56479](#)

Non-Human GeneID(s): 226922 (mouse), 259273 (rat)

Important Comments: This antibody is expected to cross-react with isoform 1, 2, 3, 4 and 5 (NP_062816.2; NP_001153602.1; NP_001153604.1; NP_1153605.1; NP_001153606.1).

Immunogen

Peptide with sequence C-ESTDALSLPHVKLK, from the C Terminus of the protein sequence according to NP_062816.2; NP_001153602.1; NP_001153604.1; NP_1153605.1; NP_001153606.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Preliminary experiments gave an approx. 22kDa band in Human Brain (Hippocampus and Cerebral Cortex) and Human Skeletal Muscle lysates after 0.3 µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 102kDa according to NP_062816.2. The 22kDa band was successfully blocked by incubation with the immunizing peptide.

Species Reactivity

Tested:

Expected from sequence similarity: Human, Mouse, Rat, Pig, Dog