



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB12334 - Goat Anti-MUNC18C Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: STXBP3, syntaxin binding protein 3, MUNC18-3, MUNC18C, PSP, UNC-18C, platelet Sec1 protein, protein unc-18 homolog 3, protein unc-18 homolog C, syntaxin 4 binding protein, syntaxin-binding protein 3, unc18-3

Official Symbol: STXBP3

Accession Number(s): NP_009200.2

Human GeneID(s): [6814](#)

Non-Human GeneID(s): 20912 (mouse), 114095 (rat)

Immunogen

Peptide with sequence SKSIRRCKEINIS, from the internal region of the protein sequence according to NP_009200.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 70kDa band observed in Mouse and Rat Spleen lysates (calculated MW of 68.0kDa according to Rat NP_446089.1). Recommended concentration: 0.3-1µg/ml.

Species Reactivity

Tested: Mouse, Rat

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig



EB12334 (1 μ g/ml) staining of Mouse (A) and Rat (B) Spleen lysates (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.