

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB08487 - Goat Anti-NAT2 (aa182-195) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: NAT2, N-acetyltransferase 2 (arylamine N-acetyltransferase), AAC2, Arylamine N-acetyltransferase-2, arylamide acetylase 2, arylamide acetylase 2 (N-acetyltransferase 2, isoniazid inactivation), arylamine N-acetyltransferase 2

Official Symbol: NAT2

Accession Number(s): NP_000006.2

Human GeneID(s): [10](#)

Immunogen

Peptide with sequence C-PKKKHQKIYLFLE, from the internal region of the protein sequence according to NP_000006.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Preliminary experiments gave an approx 27 kDa band in Human Kidney, Liver and Testis lysates after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 33.6 kDa according to NP_000006.2. The 27 kDa band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

Species Reactivity

Tested:

Expected from sequence similarity: Human