



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB09686-B - Goat Anti-Neurogranin precursor, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** NRGN, neurogranin, RC3, hng, calmodulin-binding protein, neurogranin (protein kinase C substrate, RC3), ng, protein kinase C substrate

**Official Symbol:** NRGN

**Accession Number(s):** NP\_006167.1

**Human GeneID(s):** [4900](#)

**Important Comments:** Reported variants represent identical protein: NP\_006167.1, NP\_001119653.1

### Immunogen

Peptide with sequence CKIKSGERGRKG., from the internal region of the protein sequence according to NP\_006167.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested


**Peptide ELISA:** antibody detection limit dilution 1:128000.

**Western blot:** Approx 16kDa band observed in Human Brain (Frontal Cortex) lysate (calculated MW of 7.6kDa according to NP\_006167.1). The observed molecular weights correspond to earlier findings in literature with different antibodies (Li et al, J Biol Chem. 1999 Jan 15;274(3):1294-300; PMID: 9880498). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Dog, Cow



Biotinylated EB09686 (0.1µg/ml) staining of Human Brain (Frontal Cortex) lysate (35µg protein in RIPA buffer).  
Primary incubation was 1 hour. Detected by chemiluminescence.