

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB12451 - Goat Anti-neuron navigator 2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: NAV2, neuron navigator 2, HELAD1, POMFIL2, RAINB1, STEERIN2,

UNC53H2, helicase, APC down-regulated 1, pore membrane and/or

filament-interacting-like protein 2, retinoic acid inducible gene in neuroblastoma 1,

steerin-2, unc-53 homolog 2

Official Symbol: NAV2

Accession Number(s): NP_892009.3; NP_660093.2; NP_001104488.1;

NP_001104489.1; NP_001231892.1

Human GeneID(s): 89797

Important Comments: This antibody is expected to recognize all reported isoforms (NP_892009.3; NP_660093.2; NP_001104488.1; NP_001104489.1; NP_001231892.1).

Immunogen

Peptide with sequence PELNCKGNGTAQS, from the internal region of the protein sequence according to NP_892009.3; NP_660093.2; NP_001104488.1; NP_001104489.1; NP_001231892.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:1000.

Western blot: Preliminary experiments in Human Brain, Kidney and Liver lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

Species Reactivity

Tested:

Expected from sequence similarity: Human