



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB08201 - Goat Anti-P2RY1 (aa247-257) Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** P2RY1, purinergic receptor P2Y, G-protein coupled, 1, P2Y1, ATP receptor, P2 purinoceptor subtype Y1, P2Y purinoceptor 1, platelet ADP receptor, purinergic receptor P2Y1

**Official Symbol:** P2RY1

**Accession Number(s):** NP\_002554.1

**Human GeneID(s):** [5028](#)

### Immunogen

Peptide with sequence C-KDLDNSPLRRK, from the internal region of the protein sequence according to NP\_002554.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:128000.

**Western blot:** Preliminary experiments gave bands at approx 55kDa and 38kDa in lysates of cell lines HEK293 and A549 after 0.1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calculated size of 42.1kDa according to NP\_002554.1. Both detected bands were successfully blocked by incubation with the immunizing peptide (and BLAST results with the immunizing peptide sequence did not identify any other proteins to explain the observed sizes). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

### Species Reactivity

**Tested:**

**Expected from sequence similarity:** Human, Mouse, Rat, Dog