

#### **UK Office**

Everest Biotech Ltd Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries: info@everestbiotech.com Sales: sales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

Everest Biotech c/o Abcore

405 Maple Street, Suite A106 Ramona, CA 92065 USA

Inquiries: info@everestbiotech.com Sales: usasales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: 888-320-4628 (toll-free) Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB11504 - Goat Anti-PLEKHA5 / PEPP2 Antibody

Size: 100µg specific antibody in 200µl

# Target Protein

Principal Names: FLJ10667, FLJ26734, FLJ31492, KIAA1686, OTTHUMP00000237298, OTTHUMP00000237299, OTTHUMP00000237300, OTTHUMP00000237302, OTTHUMP00000239732, PEPP2, PEPP-2, PH domain-containing family A member 5, phosphoinositol 3-phosphate-binding protein-2, pleckstrin homology domain containing, family A member 5, pleckstrin homology domain-containing family A member 5, PLEKHA5 Official Symbol: PLEKHA5 Accession Number(s): NP\_061885.2; NP\_001137293.2

Human GeneID(s): 54477

**Important Comments:** This antibody is expected to recognize isoform 1 (NP\_061885.2) and isoform 2 (NP\_001137293.2) only.

#### Immunogen

Peptide with sequence C-RENDVKPDHETP, from the internal region of the protein sequence according to NP\_061885.2; NP\_001137293.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:2000.

**Western blot:** Preliminary experiments in lysates of Human Testis, HeLa and MOLT4 gave no specific signal but low background (at antibody concentration up to  $2\mu g/ml$ ). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

#### **Species Reactivity**

Tested: Expected from sequence similarity: Human, Dog

