

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106

Ramona, CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08369 - Goat Anti-RPE65 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: mRPE65, sRPE65, retinal pigment epithelium-specific protein 65kDa, LCA2, RP20, rd12, RBP-binding membrane protein, p63, retinal pigment epithelium-specific 61 kDa protein, retinal pigment epithelium-specific protein (65kD),

retinitis pigmentosa 20 **Official Symbol:** RPE65

Accession Number(s): NP_000320.1

Human GeneID(s): 6121

Immunogen

Peptide with sequence C-EVKKNARKAPQPE, from the internal region of the protein sequence according to NP_000320.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 65kDa band observed in Rat Retina lysates (calculated MW of 60.9kDa according to Human NP_000320.1 and 61.0kDa according to Rat NP_446014.1). Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour.

Species Reactivity

Tested: Rat

Expected from sequence similarity: Human, Rat, Dog

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa

25kDa

20kDa

15kDa

 $EB08369\ (0.1\mu\text{g/ml})\ staining\ of\ Rat\ Retina\ lysate\ (35\mu\text{g}\ protein\ in\ RIPA\ buffer).\ Detected\ by\ chemiluminescence.$