

### **UK Office**

Everest Biotech Ltd Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries: info@everestbiotech.com Sales: sales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

# **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106 Ramona, CA 92065 USA

Inquiries: info@everestbiotech.com Sales: usasales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: 888-320-4628 (toll-free) Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08308 - Goat Anti-Urocortin 3 Antibody

Size: 100µg specific antibody in 200µl

# Target Protein

Principal Names: UCN3, urocortin 3 (stresscopin), MGC119002, SCP, SPC, UCNIII, stresscopin, urocortin 3, urocortin III Official Symbol: UCN3 Accession Number(s): NP\_444277.2 Human GeneID(s): <u>114131</u>

### Immunogen

Peptide with sequence C-KPRQDTAKSPHRTK, from the internal region of the protein sequence according to NP\_444277.2.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

# **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** In transfected HEK293 transiently expressing full-length Human UCN3 (myc and DYKDDDDK tagged), a band of approx. 19kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was observed using anti-DYKDDDDK tag antibody. Recommended concentration, 1- 2µg/ml.

# **Species Reactivity**

Tested: Human Expected from sequence similarity: Human





HEK293 lysate (10ug protein in RIPA buffer) over expressing Human UCN3 with DYKDDDDK tag probed with EB08308 (1ug/ml) in Lane A and probed with anti- DYKDDDDK Tag (1/3000) in lane C. Mock-transfected HEK293 probed with EB08308 (1mg/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.