

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-58K GOLGI PROTEIN(N-TERM)/FTCD, BIOTINYLATED ANTIBODY

SKU: EB06442-B



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / formiminotransferase-cyclodeaminase|formiminotransferase cyclodeaminase|LCHC1|formimidoyltransferase

Alias cyclodeaminase|FTCD Names

Accession

NP_006648.1 ID

Blocking

EBP06442-B **Peptide**

Peptide with sequence SQLVECVPNFSEGKNQ., from the N Terminus of the protein sequence according to **Immunogen**

NP 006648.1.

Product Reported variants represent identical protein: NP_996848.1, NP_006648.1 Reported variants represent

identical protein: XP_006724024.2, XP_011527739.1 Comments

Peptide

SQLVECVPNFSEGKNQ. Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Pig **Species**

Reactive

Human **Species**

Human

10841 Gene ID

Mouse

14317 **Gene ID**

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

FLISA

Antibody detection limit dilution 1:64000. Detection

Limit

Approx 58kDa band observed in Human Liver lysates (calculated MW of 58.9kDa according to NP 006648.1). Western **Blot**

See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 1-3µg/ml.

Application

Pep-ELISA, WB **Type**



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa