



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-AAK1 ANTIBODY**

**SKU:** EB09649





Telephone: (650) 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / AAK1|AP2 associated kinase

Alias

1|DKFZp686F03202|DKFZp686K16132|FLJ23712|FLJ25931|FLJ31060|FLJ42882|FLJ45252|KIAA1048|MGC138170|MGC164568|MGC164570|adaptor-associated and the state of the sta

Names Accession

ID

NP\_055726.3

Blocking Peptide

EBP09649

Immunogen Peptide with sequence C-GSPRTSQQNVYNPSE, from the internal region of the protein sequence according to NP\_055726.3.

Peptide Sequence

C-GSPRTSQQNVYNPSE

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping

Instructions Refrigerated

Predicted

Human, Mouse, Rat, Cow Species

Reactive

Human **Species** 

Human 22848

Gene ID

Mouse 269774 Gene ID

Rat Gene ID 500244

Product Grade

 $https://prod-vector-labs-pimcore-assets.s 3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png\\$ 

**ELISA** 

Detection Antibody detection limit dilution 1:16000.

Limit

Western Approx 100kDa band observed in Human Brain (Amygdala and Cerebellum) lysates (calculated MW of 104kDa according to NP\_055726.3). Recommended

Blot concentration: 1-3µg/ml.

**Application** Pep-ELISA, WB

## **GALLERY IMAGES**

Telephone: (650) 697-3600







250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa