


GOAT ANTI-ABCD3 ANTIBODY

SKU: EB08710



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym / peroxisomal membrane protein 1 (70kD, Zellweger syndrome)|dj824018.1 (ATP-binding cassette, sub-family D

Alias (ALD), member 3 (PMP70, PXMP1))|Peroxisomal membrane protein-1 (70kD)|ATP-binding cassette, sub-family D, member 3|PXMP1|PMP70|ABC43|ATP-binding cassette, sub-family D (ALD), member 3|ABCD3

Names **Usage** **Summary** Flow Cytometry: Flow cytometric analysis of A431 cells. Recommended concentration: 10ug/ml.

Accession ID NP_002849.1

Blocking Peptide EBP08710

Immunogen Peptide with sequence C-PDGREDQKRKGISD, from the internal region of the protein sequence according to NP_002849.1.

Product Comments This antibody is expected to recognize one isoform (NP_002849.1) only.

Peptide Sequence C-PDGREDQKRKGISD

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Method
Shipping Instructions Refrigerated
Predicted Species Human, Mouse, Rat
Reactive Species Human
Human Gene ID 5825
Mouse Gene ID 19299
Rat Gene ID 25270
Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png
IHC Results In paraffin embedded Human Testis shows vesicular staining in Sertoli cells. Recommended concentration: 2.5-3.8µg/ml.
ELISA Detection Limit Antibody detection limit dilution 1:16000.
Application Type Pep-ELISA, FC, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

