
Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ABCD3 ANTIBODY

SKU: EB08710



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias

peroxisomal membrane protein 1 (70kD, Zellweger syndrome)|dJ824O18.1 (ATP-binding cassette, sub-family D (ALD), member 3 (PMP70, PXMP1))|Peroxisomal membrane protein-1 (70kD)|ATP-binding cassette, sub-family D,

Names member 3|PXMP1|PMP70|ABC43|ATP-binding cassette, sub-family D (ALD), member 3|ABCD3

Usage Summary

Flow Cytometry: Flow cytometric analysis of A431 cells. Recommended concentration: 10ug/ml.

Accession

NP 002849.1

Blocking Peptide

EBP08710

Peptide with sequence C-PDGREDQKRKGISD, from the internal region of the protein sequence according to Immunogen NP_002849.1.

Product Comments

This antibody is expected to recognize one isoform (NP_002849.1) only.

Peptide Sequence

C-PDGREDQKRKGISD









Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat **Species**

Reactive

Human **Species**

Human

Gene ID

5825

Mouse

19299

Gene ID

Rat Gene ID 25270

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_plus_medium.png

Grade

In paraffin embedded Human Testis shows vesicular staining in Sertoli cells. Recommended concentration:

ELISA

Detection

IHC Results

Antibody detection limit dilution 1:16000.

Limit

Application

Type

Pep-ELISA, FC, IHC

GALLERY IMAGES

