

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>
Telephone: (650) 697-3600

## GOAT ANTI-ABCG2 / BCRP (RESTRICTED SALE DUE TO DEMANDS OF PATENT HOLDER) ANTIBODY

**SKU:** EB12498



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / ABCG2 ATP-binding cassette, sub-family G (WHITE), member

**Alias** 2|ABC15|ABCP|BCRP|BCRP1|BMDP|CD338|CDw338|EST157481|GOUT1|MRX|MXR|MXR1|UAQTL1|ABC transporter|ATP-binding cassette sub-family G member 2|ATP-binding cassette transporter G2|breast Names

**Accession** 

NP\_004818.2; NP\_001244315.1

**Blocking** 

ID

EBP12498 **Peptide** 

**Immunogen** 

Peptide with sequence C-EPSKQDKPLIEK, from the internal region of the protein sequence according to

NP\_004818.2; NP\_001244315.1.

**Product** 

On restricted sale due to demands of patent holder. Not for sale in USA, if you are outside USA then please contact sales@everestbiotech.com to see if we can sell into your territory. This antibody is expected to recognize both reported isoforms (NP\_004818.2; NP\_001244315.1).

**Comments** 

**Peptide** Sequence

C-EPSKQDKPLIEK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human **Species** 

Reactive

Human **Species** 

Human

9429 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

Detection

Antibody detection limit dilution 1:1000.

Limit

Western

Approx 70kDa band observed in lysates of cell line CACO-2 (calculated MW of 72.3kDa according to

Blot NP\_004818.2). Recommended concentration: 0.1-0.3µg/ml.

**Application** 

**Type** 

Pep-ELISA, WB

## **GALLERY IMAGES**



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa