



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-AGR2 ANTIBODY

SKU: EB07494



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

secreted cement gland homolog|anterior gradient 2 homolog (Xenepus laevis)|anterior gradient 2 Alias

homolog|XAG-2|HAG-2|GOB-4|AG2|anterior gradient 2 homolog (Xenopus laevis)|AGR2 Names

Accession

NP_006399.1

Blocking

EBP07494 **Peptide**

Peptide with sequence C-GAKKDTKDSRPK, from the internal region of the protein sequence according to **Immunogen**

NP 006399.1.

Peptide Sequence

C-GAKKDTKDSRPK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Dog **Species**

Reactive

Human **Species**

Human

10551 Gene ID

Mouse 23795

Gene ID

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade **ELISA**

Detection Antibody detection limit dilution 1:8000.

Limit

Western Approx. 18kDa band observed in Human Colon, Duodenum and Lung lysates (calculated MW of 20.0kDa according to NP_006399.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour. Blot

Application

Pep-ELISA, WB Type

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa