

# GOAT ANTI-AHSG ANTIBODY

**SKU:** EB12227

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /**

**Alias Names** fetuin-A|ba-alpha-2-glycoprotein|alpha-2-Z-globulin|HSGA|FETUA|AHS|A2HS|alpha-2-HS-glycoprotein|AHSG

**Accession ID** NP\_001613.2

**Blocking Peptide** EBP12227

**Immunogen** Peptide with sequence C-QPEGANEAVPTP, from the internal region of the protein sequence according to NP\_001613.2.

**Peptide Sequence** C-QPEGANEAVPTP

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human

**Reactive Species** Human

**Human Gene ID** 197

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:128000.

**Western Blot** Approx 60kDa band observed in Human albumin-depleted Serum lysates (calculated MW of 39.3kDa according to NP\_001613.2). This molecular weight is routinely observed by other sources. Recommended concentration: 0.5-1.5µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES



