



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-AHSG ANTIBODY

SKU: EB12227





Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

fetuin-A|ba-alpha-2-glycoprotein|alpha-2-Z-globulin|HSGA|FETUA|AHS|A2HS|alpha-2-HS-glycoprotein|AHSG

Names

ID

Accession

NP_001613.2

Blocking

EBP12227 **Peptide**

Peptide with sequence C-QPEGANEAVPTP, from the internal region of the protein sequence according to **Immunogen**

NP 001613.2.

Peptide Sequence

C-QPEGANEAVPTP

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

197 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Western Blot

Approx 60kDa band observed in Human albunin-depleted Serum lysates (calculated MW of 39.3kDa according to NP_001613.2). This molecular weight is routinely observed by other sources. Recommended concentration:

0.5-1.5µg/ml.

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa