



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-AID ANTIBODY

SKU: EB08451







250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

Names

induced cytidine deaminase|AICDA|AID

Accession

ID

NP_065712.1

Blocking

Peptide

EBP08451

Peptide with sequence RRKFLYQFKNVR-C, from the N Terminus of the protein sequence according to **Immunogen**

NP 065712.1.

Peptide

Sequence

RRKFLYQFKNVR-C

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Human

Predicted

Species

Human, Pig, Cow

Reactive

Species

Human

57379 Gene ID

Product

Grade **ELISA**

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Detection

Antibody detection limit dilution 1:1000.

Limit

Blot

Western

Approx 26kDa band observed in Human Tonsil lysates (calculated MW of 24.0kDa according to NP_065712.1).

Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa

20kDa

15kDa