

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600


GOAT ANTI-AMACR (AA312-326) ANTIBODY

SKU: EB12539



Telephone: (650) 697-3600









Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

2-methylacyl-CoA racemase|RM|RACE|CBAS4|AMACRD|alpha-methylacyl-CoA racemase|AMACR

Names

ID

Accession

NP_055139.4; NP_001161067.1

Blocking

EBP12539 **Peptide**

Peptide with sequence C-RGSFITSEEQDVSPR, from the internal region of the protein sequence according to **Immunogen**

NP_055139.4; NP_001161067.1.

Peptide

Sequence

C-RGSFITSEEQDVSPR

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human

Human

Reactive

Species

Human

23600 Gene ID

Product

Grade

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite_medium.png$

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Approx 40-42kDa band observed in Human Kidney, Liver and Coloretal cancer lysates, and in lysates of cell

Western **Blot**

line CaCo-2, and approx 40.45kDa band observed in lysates of cell line LNCaP (calculated MW of 42.4kDa according to NP_055139.4) and 43.9kDa according to .NP_001161067.1) Recommended concentration:

 $0.03-1\mu g/ml$. Primary incubation 1 hour at room temperature.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES





Telephone: (650) 697-3600



