



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ANKK1 ANTIBODY

SKU: EB08835



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias ANKK1|ankyrin repeat and kinase domain containing 1|PKK2|X-kinase|protein kinase PKK2

Names

Accession NP_848605.1 ID

Blocking

EBP08835 **Peptide**

Peptide with sequence C-SRQADPNLHEAEGKT, from the internal region of the protein sequence according to **Immunogen**

NP 848605.1.

Peptide Sequence

C-SRQADPNLHEAEGKT

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

255239 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results Paraffin embedded Human Prostate. Recommended concentration: 5-10µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Approx. 85kDa band observed in Human Brain (Substantia nigra and Amygdala) lysates (calculated MW of 84.6

Western kDa according to NP_848605.1). Recommended concentration: 0.1-0.3μg/ml. Primary incubation was 1 hour. **Blot** An additional band of unknown identity was also consistently observed at 35 kDa. This band was successfully

blocked by incubation with the immunising peptide.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

