



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-APOE ANTIBODY**

**SKU:** EB06690



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa


75kDa

50kDa

37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

LPG|Alzheimer disease 2 (APOE\*E4-associated, late onset)|apolipoprotein E3|apolipoprotein Alias

E|apoprotein|MGC1571|AD2|APOE Names

**Accession** 

NP\_000032.1 ID

**Blocking** 

EBP06690 **Peptide** 

Peptide with sequence C-VGTSAAPVPSDNH, from the C Terminus of the protein sequence according to **Immunogen** 

NP 000032.1.

**Peptide** 

C-VGTSAAPVPSDNH Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human **Species** 

Reactive

Human **Species** 

Human

348 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

**ELISA** 

Antibody detection limit dilution 1:128000. **Detection** 

Limit

Western Approx 36kDa band observed in Human Brain (Hippocampus) lysates (calculated MW of 36.2kDa according to

**Blot** NP\_000032.1). Recommended concentration: 0.05-0.1μg/ml. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB **Type** 

## **GALLERY IMAGES**



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa