


Telephone: (650) 697-3600

GOAT ANTI-APOD ANTIBODY

SKU: EB12281



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

apo-D|apolipoprotein D|APOD **Alias**

Names

Accession NP_001638.1 ID

Blocking

EBP12281

Peptide

Peptide with sequence EIEKIPTTFENGRC, from the internal region of the protein sequence according to

NP_001638.1.

Peptide

EIEKIPTTFENGRC

Sequence

Immunogen

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Predicted

Human

Species Reactive

Human **Species**

Human

Gene ID

347

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Liver. Recommended concentration: 4-5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Approx 24kDa band observed in Human Kidney lysates and also in preliminary testing of Human Liver lysates

Western (calculated MW of 21.3kDa according to NP_001638.1). The observed molecular weight corresponds to the Blot glycosylated form. Recommended concentration: 0.01-0.03µg/ml. Primary incubation 1 hour at room

temperature.

Application

Pep-ELISA, WB, IHC Type

GALLERY IMAGES










250kDa 150kDa 100kDa 75kDa

50kDa

37kDa



25kDa

20kDa

15kDa