

GOAT ANTI-APOL6 (N TERMINUS) ANTIBODY

SKU: EB08770

250kDa
150kDa
100kDa
75kDa
50kDa

37kDa

25kDa
20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	apolipoprotein L6 apolipoprotein L-VI MGC57495 FLJ90164 FLJ38562 DKFZp667M075 APOL-VI apolipoprotein L, 6 APOL6
Accession ID	NP_085144.1
Blocking Peptide	EBP08770
Immunogen	Peptide with sequence QRDEDDAPLCED, from the internal region (near N Terminus) of the protein sequence according to NP_085144.1.
Peptide Sequence	QRDEDDAPLCED
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	80830
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	In paraffin embedded Human Liver shows textured cytoplasm staining in hepatocytes. Recommended concentration, 5-10µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx. 38kDa band observed in Human Kidney lysates (calculated MW of 38.1kDa according to NP_085144.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

