

GOAT ANTI-ARHGDIA ANTIBODY

SKU: EB10226

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

| | |
|------------------------------|---|
| Formulation | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Unit Size | 100 µg |
| Storage Instructions | Aliquot and store at -20°C. Minimize freezing and thawing. |
| Synonym / Alias Names | ARHGDI RHOGDI-1 RHOGDI Rho GDP dissociation inhibitor (GDI) alpha MGC117248 GDIA1 |
| Accession ID | NP_004300.1 |
| Blocking Peptide | EBP10226 |
| Immunogen | Peptide with sequence C-QLAQIAAENE, from the internal region of the protein sequence according to NP_004300.1. |
| Peptide Sequence | C-QLAQIAAENE |
| Purification Method | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Shipping Instructions | Refrigerated |
| Predicted Species | Human, Mouse, Dog, Cow |
| Reactive Species | Mouse, Rat |
| Human Gene ID | 396 |
| Mouse Gene ID | 192662 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| ELISA Detection Limit | Antibody detection limit dilution 1:8000. |
| Western Blot | Approx 28kDa band observed in Mouse and Rat Lung lysates (calculated MW of 23.4kDa according to Mouse NP_598557.3). This molecular weight is routinely observed by other sources. Recommended concentration: 1-3µg/ml. |
| Application Type | Pep-ELISA, WB |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa