

GOAT ANTI-ARIH2 / TRIAD1 ANTIBODY

SKU: EB05813



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / ARIH2|ariadne homolog 2 (Drosophila)|ARI2|TRIAD1|all-trans retinoic acid inducible RING finger|ariadne-2 (D.

Alias melanogaster) homolog (all-trans retinoic acid inducible RING

Names finger)|FLJ10938|FLJ33921|OTTHUMP00000210388|ariadne homolog 2

Usage **Immunofluorescence:** Customer's experiments showed nuclear staining in DAPI with IF.

Summary This antibody has also been successfully used in IF in PMID: 24486325.

Accession ID NP_006312.1

Blocking Peptide EBP05813

Immunogen Peptide with sequence C-EQRRRTLLKDFHDT, from the C Terminus of the protein sequence according to NP_006312.1.

Peptide Sequence C-EQRRRTLLKDFHDT

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human, Mouse

Human Gene ID 10425

Mouse Gene ID 23807

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA Detection Limit Antibody detection limit dilution 1:8000.

Approx 60kDa band observed in nuclear lysates of HeLa and K562 (Calculated MW of 57.8kDa according to NP_006312.1) Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour. Customer's

Western Blot experiments gave a band at approx 60kDa in lysates in both Human HeLa and Mouse Muscle (IM2 & C2C12) cells. This band disappeared after RNAi knock-down. Calculated MW of 57.8kDa according to NP_006312.1). Recommended concentration: 1-3µg/ml. This antibody has also been successfully used in WB in PMID: 24486325.

Application Type Pep-ELISA, WB, IF

SELECTED REFERENCES

[{"pmid": 24486325, "intro": "**This antibody has been successfully used in WB and IF on Human:**", "title": "A novel feed-forward loop between ARIH2 E3 ligase and PABPN1 regulates aging-associated muscle degeneration.", "author": "Raz V, Buijze H, Raz Y, Verwey N, Anvar SY, Aartsma-Rus A, van der Maarel SM.", "journal": "Am J Pathol. 2014 Apr;184(4):1119-31."}]

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

