

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-AS160 / TBC1D4 ANTIBODY

SKU: EB07591







250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

KIAA0603|TBC (Tre-2, BUB2, CDC16) domain-containing protein|OTTHUMP00000040818|Acrg embryonic lethality (mouse) minimal region ortholog|DKFZp779C0666|RP11-159J2.1|TBC1 domain family, member

Alias Names

4|AS160|TBC1D4

Accession

NP_055647.2

Blocking

EBP07591 **Peptide**

Immunogen

Peptide with sequence C-DDPEKIEERKKSK, from the internal region of the protein sequence according to

NP 055647.2.

Peptide

Sequence

C-DDPEKIEERKKSK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Dog

9882

Reactive

Species

Human

Human Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results

In paraffin embedded Human Skeletal Muscle shows striated pattern staining of majority of muscular fibres.

Recommended concentration, 3-5µg/ml.

ELISA

Detection

Antibody detection limit dilution 1:128000.

Limit

Western Blot

Approx 150kDa band observed in lysates of cell lines Daudi and MOLT4 (calculated MW of 147kDa according to

NP_055647.2). Recommended concentration: 0.1-0.3μg/ml.

Application

Type

Pep-ELISA, WB, IHC

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

