

GOAT ANTI-AS160 / TBC1D4 ANTIBODY

SKU: EB07591



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa
10kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias Names KIAA0603|TBC (Tre-2, BUB2, CDC16) domain-containing protein|OTTHUMP00000040818|Acrg embryonic lethality (mouse) minimal region ortholog|DKFZp779C0666|RP11-159J2.1|TBC1 domain family, member 4|AS160|TBC1D4

Accession ID NP_055647.2

Blocking Peptide EBP07591

Immunogen Peptide with sequence C-DDPEKIEERKKSK, from the internal region of the protein sequence according to NP_055647.2.

Peptide Sequence C-DDPEKIEERKKSK

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Dog

Reactive Species Human

Human Gene ID 9882

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results In paraffin embedded Human Skeletal Muscle shows striated pattern staining of majority of muscular fibres. Recommended concentration, 3-5µg/ml.

ELISA Detection Limit Antibody detection limit dilution 1:128000.

Western Blot Approx 150kDa band observed in lysates of cell lines Daudi and MOLT4 (calculated MW of 147kDa according to NP_055647.2). Recommended concentration: 0.1-0.3µg/ml.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

