

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ASC / TMS1 ANTIBODY

SKU: EB05291



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

TMS-1|target of methylation-induced silencing-1|caspase recruitment domain protein 5|apoptosis-associated

Alias speck-like protein containing a CARD|TMS|MGC10332|CARD5|PYD and CARD domain

Names containing|TMS1|ASC|PYCARD

Accession

NP_037390.2; NP_660183.1 ID

Blocking

EBP05291 **Peptide**

Peptide with sequence C-RESQSYLVEDLERS, from the C Terminus of the protein sequence according to **Immunogen**

NP_037390.2; NP_660183.1.

Product Comments

This antibody is expected to recognise both reported isoforms (NP 037390.2 and NP 660183.1).

Peptide

Sequence

C-RESQSYLVEDLERS

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Reactive Human

Species

29108

Human

Human

Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

In paraffin embedded Human Liver shows staining of sinusoidal lining cells. Recommended concentration:

IHC Results 4-6µg/ml.

ELISA

Antibody detection limit dilution 1:16000. Detection

Limit

Western Approx 19kDa band observed in lysates of cell line HeLa (calculated MW of 20.0kDa according to **Blot** NP_660183.1). Recommended concentration: 0.2-0.6µg/ml. Primary incubation was 1 hour.

Application

Type

Pep-ELISA, WB, IHC





Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa 50kDa

37kDa

25kDa

20kDa

15kDa

