


Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ASNSD1 ANTIBODY



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Storage InstructionsAliquot and store at -20°C. Minimize freezing and thawing.





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Synonym /

asparagine synthetase domain containing 1|FLJ20752|HCV NS3-transactivated protein **Alias**

1|NBLA00058|NS3TP1|ASNSD1 **Names**

Usage **Summary** Purchase the +ve control! The transfected lysate used to QC this product is available for sale. Please email

sales@everestbiotech.com to request datasheet, pricing and delivery information.

Accession

NP_061921.1 ID

Blocking Peptide

EBP10338

Immunogen

Peptide with sequence C-PNKHVSVPDR, from the internal region of the protein sequence according to

NP 061921.1.

Peptide Sequence

C-PNKHVSVPDR

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human

Species Human

Gene ID

54529

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Blot

In transfected HEK293 transiently expressing full-length Human ASNSD1 (myc and DYKDDDDK tagged), a band Western of approx. 75kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was

observed using anti-myc tag antibody. Recommended concentration, 1-2µg/ml.

Application

Pep-ELISA, WB-Trf **Type**

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600



