



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-ATF1 ANTIBODY

SKU: EB12073



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

cyclic AMP-dependent transcription factor ATF-1|cAMP-dependent transcription factor

Alias ATF-1|TREB36|FUS/ATF-1|EWS-ATF1|activating transcription factor 1|ATF1 Names

Accession

NP_005162.1

Blocking

EBP12073 **Peptide**

Peptide with sequence EDSHKSTTSETAPQ-C, from the N Terminus of the protein sequence according to **Immunogen**

NP 005162.1.

Peptide

EDSHKSTTSETAPQ-C Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Cow

Species

Reactive

Human **Species**

Human

466 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:8000.

Limit

Western

Approx 37kDa band observed in nuclear lysates of cell line A431 (calculated MW of 29.2kDa according to NP_005162.1). This molecular weight is routinely observed by other sources. Recommended concentration:

Blot 0.1-0.3µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa