



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-BAG2 ANTIBODY

SKU: EB05167







250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa 20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

dJ417I1.2 (BAG-family molecular chaperone regulator 2)|dJ417I1.2|MGC149462|KIAA0576|RP3-496N17.2|BAG-

family molecular chaperone regulator-2|BAG-2|BCL2-associated athanogene 2|BAG2

Names **Accession**

ID

NP_004273.1

Blocking

Peptide

EBP05167

Peptide with sequence CSKTLQQNAESRFN, from the C Terminus of the protein sequence according to **Immunogen**

NP 004273.1.

Peptide

Sequence

CSKTLQQNAESRFN

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Pig, Cow

Reactive

Human, Pig **Species**

Human

9532 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:8000.

Limit

Western Approx 25kDa band observed in Human HeLa lysates (calculated MW of 23.7kDa according to NP_004273.1).

Blot Recommended concentration: 0.1-0.3µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

	250kDa 150kDa 100kDa	250kDa 150kDa 100kDa
	75kDa	75kDa
	50kDa 37kDa	50kDa
	37KDa	37kDa
	25kDa	
ī	20kDa	State of the last
		25kDa
	15kDa	20kDa
	10kDa	15kDa