


Telephone: (650) 697-3600



GOAT ANTI-BAG5 (N TERMINUS) ANTIBODY

SKU: EB05487



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias BAG5|BCL2-associated athanogene 5|BAG-5|KIAA0873|BAG-family molecular chaperone regulator-5

Names

Accession NP_001015049.1; NP_004864.1; NP_001015048.1

ID

Blocking

Peptide

EBP05487

Peptide with sequence DMGNQHPSISRLQ-C, from the N Terminus of the protein sequence according to **Immunogen**

NP_001015049.1; NP_004864.1; NP_001015048.1.

Product Comments

Variants (NP_004864.1; NP_001015048.1) encode the same isoform.

Peptide Sequence

DMGNQHPSISRLQ-C

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Shipping InstructionsRefrigerated

Predicted

Human, Mouse, Rat, Dog, Cow

Species Reactive

Species Human

Human Gene ID 9529

Product

Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Testis. Recommended concentration: 3.75µg/ml.

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Western

Approx 55+48kDa bands observed in nuclear lysates of cell line HeLa (calculated MW of 56.0kDa according to NP_001015049.1 and of 51.2kDa according to NP_004864.1; NP_001015048.1). Recommended concentration:

Blot $1-3\mu g/ml$.

Application


Type Pep-ELISA, WB, IHC

GALLERY IMAGES



Telephone: (650) 697-3600





250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa