

## GOAT ANTI-BBS7 ANTIBODY

**SKU:** EB09989

250kDa  
150kDa  
100kDa  
75kDa  
50kDa  
37kDa  
25kDa  
20kDa  
15kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage** Aliquot and store at -20°C. Minimize freezing and thawing.  
**Instructions**

**Synonym /**

**Alias** Bardet-Biedl syndrome 7|Bardet-Biedl syndrome 7 protein|BBS2L1|BBS2-like 1|FLJ10715|BBS7

**Names**

**Accession ID** NP\_789794.1; NP\_060660.2

**Blocking Peptide** EBP09989

**Immunogen** Peptide with sequence HCILEEADHLQE, from the internal region of the protein sequence according to NP\_789794.1; NP\_060660.2.

**Product Comments** This antibody is expected to recognize both isoforms (NP\_789794.1; NP\_060660.2).

**Peptide Sequence** HCILEEADHLQE

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Dog, Cow

**Reactive Species** Human, Rat

**Human Gene ID** 55212

**Mouse Gene ID** 71492

**Rat Gene ID** 361930

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:128000.

**Western Blot** Approx 80kDa band observed in Human and Rat Skeletal Muscle lysates (calculated MW of 80.4kDa according to NP\_789794.1). Recommended concentration: 1-3µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

