

GOAT ANTI-BCL2A1 ANTIBODY

SKU: EB10375

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	
Alias	BCL2A1 hematopoietic BCL2-related protein A1 HBPA1 GRS BFL1 BCL2-related protein A1 BCL2L5 ACC-2 ACC-1
Names	
Accession ID	NP_004040.1; NP_001108207.1
Blocking Peptide	EBP10375
Immunogen	Peptide with sequence C-NVVSVDTART, from the internal region of the protein sequence according to NP_004040.1; NP_001108207.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_004040.1; NP_001108207.1).
Peptide Sequence	C-NVVSVDTART
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Dog, Cow, Pig
Reactive Species	Human
Human Gene ID	597
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 20kDa band observed in Human Bone Marrow lysates (calculated MW of 20.1kDa according to NP_004040.1). Recommended concentration: 0.1-0.3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa