


GOAT ANTI-BID ANTIBODY

SKU: EB06713



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym / desmocollin type 4|OTTHUMP00000196197|BID isoform Si6|BID isoform L(2)|BID isoform ES(1b)|FP497|apoptic

Alias death agonist|Human BID coding sequence|BH3-interacting domain death

Names agonist|MGC42355|MGC15319|HGNC:1050|BH3 interacting domain death agonist|BID

Usage **Immunofluorescence:** Strong expression of the protein seen in the cytoplasm of MCF7
Summary cells. Recommended concentration: 10µg/ml.

Accession ID NP_932070.1; NP_001187.1; NP_932071.1

Blocking Peptide EBP06713

Immunogen Peptide with sequence C-TYVRSLARNGMD, from the C Terminus of the protein sequence according to
NP_932070.1; NP_001187.1; NP_932071.1.

Product	This antibody is expected to recognise all three reported isoforms (as represented by NP_932070.1);
Comments	NP_001187.1; NP_932071.1)
Peptide Sequence	C-TYVRSLLARNGMD
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	637
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 26+24kDa bands observed in A431 cell lysates (calculated MW of 26.8kDa according to NP_932070.1 and 22.0kDa according to NP_001187.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB, IF

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

