
www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

GOAT ANTI-BIGLYCAN PREPROPROTEIN ANTIBODY

SKU: EB07505



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	small leucine-rich protein 1A|dermatan sulphate proteoglycan I|bone/cartilage proteoglycan-I|SLRR1A|PGI|PG-S1|DSPG1|BGN|biglycan|Biglycan Preproprotein
Usage Summary	Immunofluorescence: Expression of the protein seen in the Golgi of NIH3T3 and HepG2 cells. Recommended concentration: 10µg/ml.
Accession ID	NP_001702.1
Blocking Peptide	EBP07505
Immunogen	Peptide with sequence C-DRLAIQFGNYKK, from the C Terminus of the protein sequence according to NP_001702.1.

Peptide Sequence	C-DRLAIQFGNYKK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human, Mouse
Human Gene ID	633
Mouse Gene ID	12111
Rat Gene ID	25181
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:2000.
Application Type	Pep-ELISA, IF


SELECTED REFERENCES


[{"pmid": 23001016, "intro": "**This antibody has been successfully used in IHC on Human:**", "title": "Arguments for an increasing differentiation towards fibrocartilaginous components in midportion Achilles tendinopathy.", "author": "Burssens A, Forsyth R, Bongaerts W, Jagodzinski M, Mahieu N, Praet M, Victor J.", "journal": "Knee Surg Sports Traumatol Arthrosc. 2012 Sep 23."}]

DOCUMENTS

- Data Sheet

GALLERY IMAGES


Anti- Biglycan Preproprotein
DAPI
Merged
-ve control


Anti- Biglycan Preproprotein
DAPI
Merged
-ve control