



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-BIM ANTIBODY

SKU: EB06412







250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Bim-alpha3| Bim-alpha2| Bim-alpha1| bcl2-L-11| bcl-2-related ovarian death agonist| bcl-2-like protein 11| bcl-2 Synonym /

Alias interacting protein Bim| bcl-2 interacting mediator of cell death| BOD| BIM| BAM| BCL2-like 11 (apoptosis

facilitator)|BCL2L11 Names

Accession

NP_619528.1; NP_619529.1; NP_996886.1;

Blocking

EBP06412 **Peptide**

Peptide with sequence C-FNAYYARRLEK, from the C Terminus of the protein sequence according to **Immunogen**

NP_619528.1; NP_619529.1; NP_996886.1;.

This antibody is expected to recognise at least reported isoforms Bim-alpha1 (BimABCD), Bim-alpha2 **Product**

(BimACD) and Bim-alpha3 (BimAD). Comments

Peptide

Sequence

C-FNAYYARRLEK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human

Reactive **Species**

Human

Human

10018

Gene ID **Product**

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection

Western

Antibody detection limit dilution 1:16000.

Limit

Blot

Approx 23kDa band observed in lysates of cell line K562 (calculated MW of 18.5kDa according to NP_619528.1). Recommended for use at 0.5-2μg/ml. Primary incubated 1 hour at room temperature.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa